



2B PARTIAL WEST ELEVATION
1:50



3A TYPICAL CROSS SECTION LOOKING NORTH
1:100



EXTERIOR MATERIALS KEYNOTES:


- 1 NOT USED IN PHASE 4
- 2 RIBBED METAL SIDING, RMS-1
- 3 RIBBED METAL SIDING, RMS-2
- 4 FACE BRICK VENEER
- 5 PREFINISHED ROOF FASCIA / COPING
- 6 ARCHITECTURAL PRECAST CONCRETE PANEL
- 7 ALUMINUM STOREFRONT SYSTEM
- 8 PREFINISHED ALUMINUM STANDARD PROFILE LOUVER
- 9 PREFINISHED ALUMINUM NARROW PROFILE LOUVER
- 10 PREFINISHED ALUMINUM COLUMN COVER
- 11 PRECAST CONCRETE COPING
- 12 INSULATED HOLLOW METAL PANEL, HMP-1
- 13 ALUMINUM CHANNEL
- 14 INSULATED ACCESS PANEL
- 15 13 [1/2"] x 13 [1/2"] REVEAL IN PRECAST
- 16 COMPOSITE METAL PANEL SYSTEM CMP-1 (PLATINUM)
- 17 COMPOSITE METAL PANEL SYSTEM CMP-2 (PEWTER)
- 18 ALUMINUM CURTAINWALL SYSTEM





ALL SCALES SHOWN ARE BASED ON A STANDARD DRAWING SIZE OF 28" X 40" OR METRIC DRAWING SIZE OF 841mm X 594mm. IF ANY OTHER SIZE DRAWINGS ARE FURNISHED OR PLOTTED THE CONTRACTOR SHALL ADJUST THE SCALES ACCORDINGLY. THE CONTRACTOR SHALL ALSO ADVISE HIS SUB-CONTRACTORS OF THE ABOVE.

Revisions			
Symbol	Descriptions	Date	Approved
Architect: ARCHITECTURAL ALLIANCE MINNEAPOLIS, MINNESOTA		Engineer: MEAD & HUNT MADISON, WISCONSIN	U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS OMAHA, NEBRASKA
Designed by: SS		MINNEAPOLIS-ST. PAUL AFR MINNESOTA	
Drawn by: JM		CONSOLIDATED LODGING FACILITY - PHASE FOUR - EXTERIOR ELEVATIONS AND BUILDING SECTION	
Checked by: EO			
Reviewed by: EO		Plot Scale Ratio: 1:1 Design File: 9941a36.dwg	Date: DECEMBER 2003
Submitted by:		Spec. No.: W9128F-04-B-0002 Contract No.: W9128F-04-C-XXXX	Sheet reference: A3.6












5D PARAPET DETAIL
1:5




5A DETAIL AT PTAC UNIT 3RD & 4TH FLOORS
1:5




4C DETAIL AT 2nd FLOOR WDW. HEAD
1:5




4A DETAIL AT PTAC UNIT AND METAL PANEL FIRST FLOOR BLOCK KNEE WALL
1:5




3C PARAPET DETAIL
1:5



3A DETAIL AT PTAC UNIT 3RD & 4TH FLOORS
1:5



1C ALUM. CHANNEL REVEAL
1:5



1B DETAIL AT PTAC UNIT FIRST FLOOR AT BRICK/PRECAST
1:5

200 100 0 200 400
SCALE: 1 : 5


I hereby certify this drawing was prepared by me or under my direct supervision and that I am a duly registered architect under the laws of the State of Minnesota.

For: Architectural Alliance
By:
Title: Principal
Registration No: 16854


ALL SCALES SHOWN ARE BASED ON A STANDARD DRAWING SIZE OF 28" X 40" OR METRIC DRAWING SIZE OF 841mm X 594mm. IF ANY OTHER SIZE DRAWINGS ARE FURNISHED OR PLOTTED THE CONTRACTOR SHALL ADJUST THE SCALES ACCORDINGLY. THE CONTRACTOR SHALL ALSO ADVISE HIS SUB-CONTRACTORS OF THE ABOVE.

Revisions			
Symbol	Descriptions	Date	Approved
Architect: ARCHITECTURAL ALLIANCE MINNEAPOLIS, MINNESOTA		Engineer: MEAD & HUNT MADISON, WISCONSIN	U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS OMAHA, NEBRASKA
Designed by: PS	MINNEAPOLIS—ST. PAUL AFR		MINNESOTA
Drawn by: JC	CONSOLIDATED LODGING FACILITY — PHASE FOUR —		
Checked by: PS	EXTERIOR DETAILS		
Reviewed by: E0	Plot Scale Ratio: 1:1 Design File: 9941A59.DWG	Date: DECEMBER 2003	Sheet reference number:
Submitted by:	Spec. No.: W9128F-04-B-0002 Contract No.: W9128F-04-C-XXXX	Drawing Code: AF 721-315-04	A5.9


CONSOLIDATED LODGING FACILITY
- PHASE FOUR -
EXTERIOR DETAILS




4D PLAN AT SCREEN WALL COLUMN CORNER
1:5M




2D PARAPET DETAIL AT STAIR
1:5M




1D PLAN AT SCREEN WALL COLUMN
1:5M




2B CURTAINWALL HEAD AT STAIR
1:5M



1B OUTSIDE CORNER AT RIBBED SIDING
1:5M



4A SILL AT LOUVER L-21
1:5M



2A BUILDING BASE DETAIL AT CURTAINWALL
1:5M


200 100 0 200 400
SCALE: 1 : 5


I hereby certify this drawing was prepared by me or under my direct supervision and that I am a duly registered architect under the laws of the State of Minnesota.

For: Architectural Alliance
By: Title: Principal
Registration No: 16854

ALL SCALES SHOWN ARE BASED ON A STANDARD DRAWING SIZE OF 28" X 40" OR METRIC DRAWING SIZE OF 841mm X 594mm. IF ANY OTHER SIZE DRAWINGS ARE FURNISHED OR PLOTTED THE CONTRACTOR SHALL ADJUST THE SCALES ACCORDINGLY. THE CONTRACTOR SHALL ALSO ADVISE HIS SUB-CONTRACTORS OF THE ABOVE.

Revisions			
Symbol	Descriptions	Date	Approved
Architect:		Engineer:	U.S. ARMY ENGINEER DISTRICT CORPS OF ENGINEERS OMAHA, NEBRASKA
ARCHITECTURAL ALLIANCE MINNEAPOLIS, MINNESOTA		MEAD & HUNT MADISON, WISCONSIN	
Designed by:	MINNEAPOLIS-ST.PAUL AFR MINNESOTA		
SS	CONSOLIDATED LODGING FACILITY — PHASE FOUR — EXTERIOR DETAILS		
Drawn by:			
PS			
Checked by:			
JC			
Reviewed by:	Plot Scale Ratio:	1:1	Date:
EO	Design File:	9941A511	DECEMBER 2003
Submitted by:	Spec. No.:	Drawing Code:	
	Contract No.:	AF 721-315-04	
	W9128F-04-B-0002	Sheet reference number:	
	W9128F-04-C-XXXX	A5.11	





I hereby certify this drawing was prepared by me or under my direct supervision and that I am a duly registered architect under the laws of the State of Minnesota.

For: Architectural Alliance
By: Title: Principal
Registration No: 16854


200 100 0 200 400

SCALE: 1 : 5


ALL SCALES SHOWN ARE BASED ON A STANDARD DRAWING SIZE OF 28" X 40" OR METRIC DRAWING SIZE OF 841mm X 594mm. IF ANY OTHER SIZE DRAWINGS ARE FURNISHED OR PLOTTED THE CONTRACTOR SHALL ADJUST THE SCALES ACCORDINGLY. THE CONTRACTOR SHALL ALSO ADVISE HIS SUB-CONTRACTORS OF THE ABOVE.

Revisions			
Symbol	Descriptions	Date	Approved
Architect:		Engineer:	U.S. ARMY ENGINEER DISTRICT
ARCHITECTURAL ALLIANCE MINNEAPOLIS, MINNESOTA		MEAD & HUNT MADISON, WISCONSIN	CORPS OF ENGINEERS OMAHA, NEBRASKA
Designed by:		MINNEAPOLIS-ST. PAUL AFR MINNESOTA	
Drawn by:		CONSOLIDATED LODGING FACILITY - PHASE FOUR -	
Checked by:		EXTERIOR DETAILS	
Reviewed by:		Plot Scale Ratio: 1:1 Design File: 9941A515.DWG Spec. No.: W9128F-04-B-0002 Contract No.: W9128F-04-C-XXXX	Date: DECEMBER 2003 Drawing Code: AF 721-315-04 Sheet reference number: A5.15
Submitted by:			


QJKL-990011P4




5C TYPICAL WINDOW JAMB DETAIL AT BRICK
1:5



4B TYPICAL WINDOW JAMB DETAIL AT METAL PANEL
1:5



2C DETAIL AT BRICK, CONNECTION TO PHASE 3
1:5



1C CORNER DETAIL AT BRICK
1:5

200 100 0 200 400
SCALE: 1 : 5





I hereby certify this drawing was prepared by me or under my direct supervision and that I am a duly registered architect under the laws of the State of Minnesota.

For: Architectural Alliance
By:
Title: Principal
Registration No: 16854


ALL SCALES SHOWN ARE BASED ON A STANDARD DRAWING SIZE OF 28" X 40" OR METRIC DRAWING SIZE OF 841mm X 594mm. IF ANY OTHER SIZE DRAWINGS ARE FURNISHED OR PLOTTED THE CONTRACTOR SHALL ADJUST THE SCALES ACCORDINGLY. THE CONTRACTOR SHALL ALSO ADVISE HIS SUB-CONTRACTORS OF THE ABOVE.

Revisions			
Symbol	Descriptions	Date	Approved
Architect:		Engineer:	U.S. ARMY ENGINEER DISTRICT
ARCHITECTURAL ALLIANCE MINNEAPOLIS, MINNESOTA		MEAD & HUNT MADISON, WISCONSIN	CORPS OF ENGINEERS OMAHA, NEBRASKA
Designed by:	MINNEAPOLIS-ST. PAUL AFR MINNESOTA		
Drawn by:	CONSOLIDATED LODGING FACILITY - PHASE FOUR - EXTERIOR DETAILS		
Checked by:			
Reviewed by:	Plot Scale Ratio: 1:1 Design File: 9941A516 Spec. No.: W9128F-04-B-0002 Contract No.: W9128F-04-C-XXXX	Date: DECEMBER 2003	Sheet reference number: A5.16
Submitted by:	Drawing Code: AF 721-315-04		

QJKL-990011P4



- DUMPSTER ENCLOSURE KEYNOTES:**
REFER TO DRAWINGS 2C, 5B, & 5A ON THIS SHEET A5.17
- 1 EXISTING ELECTRICAL EQUIPMENT TO REMAIN
 - 2 EXISTING MANHOLE TO REMAIN, SEE CIVIL
 - 3 MAINTAIN REQUIRED CLEARANCES IN FRONT OF AND NEXT TO EXISTING ELECTRICAL EQUIPMENT. DASHED LINE AROUND ELECTRICAL EQUIPMENT INDICATES CLEARANCE ZONE OF 3048 [10'] IN FRONT OF EQUIPMENT DOORS AND 1219 [4'] ON BLANK SIDES.
 - 4 EXISTING CURB
 - 5 NEW CURB, SEE CIVIL
 - 6 PHASE 4 BUILDING
 - 7 DASHED LINE INDICATES EFFECTIVE STANDOFF DISTANCE. MAINTAIN MINIMUM CLEARANCE ZONE OF 10 METERS [33 FT] BETWEEN DUMPSTER ENCLOSURE AND LODGING FACILITY
 - 8 PRECAST CONCRETE PANELS FOR DUMPSTER ENCLOSURE, SEE 2A/A4.6
 - 9 203 [8"] NOMINAL DIAMETER STEEL PIPE BOLLARDS, CONCRETE FILLED, PAINTED TO MATCH COLOR OF ADJACENT SWINGING GATES. SEE 2D/A4.6
 - 10 SWINGING GATES, SEE SPECIFICATION SECTION 02821.
GATE COLOR TO MATCH COLOR OF EXISTING PHASE 1 SLIDING GATE. VERIFY COLOR MATCHES "CAL GRAY", A STANDARD COLOR OF AMETCO MANUFACTURING CORP. INSTALL SWINGING GATES TO MAXIMIZE SWING UP TO 180°
 - 11 CONCRETE PAVING AT DUMPSTER ENCLOSURE. SLOPE CONCRETE TO DRAIN TO BITUMINOUS PARKING LOT. VERIFY SLOPE AND EXTENT OF CONCRETE WITH CIVIL.
 - 12 PAINTED STRIPING AT PARKING LOT



I hereby certify this drawing
was prepared by me or under
my direct supervision and that
I am a duly registered
architect under the laws of
the State of Minnesota.

or: Architectural Alliance
 y:
 title: Principal
 registration No: 16854

Revisions				
Symbol	Descriptions		Date	Approved
Architect:		Engineer:	U.S. ARMY ENGINEER DISTRICT	
ARCHITECTURAL ALLIANCE		MEAD & HUNT	CORPS OF ENGINEERS	
MINNEAPOLIS, MINNESOTA		MADISON, WISCONSIN	OMAHA, NEBRASKA	
Designed by:		MINNEAPOLIS-ST. PAUL AFR		MINNESOTA
JM		CONSOLIDATED LODGING FACILITY — PHASE FOUR — EXTERIOR DETAILS		
Drawn by:				
JM				
Checked by:		Plot Scale Ratio: 1:1 Design File: 9941A517.DWG Spec. No.: W9128F-04-B-0002 Contract No.: W9128F-04-C-XXXX		
EO				
Reviewed by:		Plot Scale Ratio: 1:1	Date:	Sheet
EO		Design File: 9941A517.DWG	DECEMBER 2003	reference number:
Submitted by:		Spec. No.: W9128F-04-B-0002	Drawing Code:	A5.17
		Contract No.: W9128F-04-C-XXXX	AF 721-315-04	